

REMARKS

Claims 1, 2, 6-12 and 26-29 were rejected under 35 U.S.C. 102(b) on Tai ('684). The Examiner has alleged that Tai in col. 1, lines 55, col. 3, lines 4-14 and col. 5, line 40 to col. 6, line 34 teaches an interpolymeric network comprising a non-volatile oil medium and an oil soluble polymer produced in the presence of a crosslinked polymer, such as the copolymer of an acrylic acid, acrylamide and alkyl acrylates (incorporating U.S. 4,833,222 "Siddall") in a ratio of less than about 1:2.

Applicant respectfully traverses the Examiner's rejection of claims 1, 2, 6-12 and 26-29 on Tai, alone or with Siddall. Applicant can find no disclosure, teaching or suggestion in either of the references, or the combination thereof, which would provide an anticipation of the presently claimed invention, or make it obvious to one skilled in the art.

More particularly, Tai merely provides clusters of water-swellaable polymers by bringing together a first suspension of an aqueous solution of an  $\alpha,\beta$ -unsaturated monomer in an inert hydrophobic liquid and a second suspension of water-swellaable polymer particles in an inert hydrophobic liquid. Through the process, the particles are brought together by the aqueous solution which renders the polymerized particles slightly sticky permitting agglomeration of the particles into clusters. The clusters are then separated from the hydrocarbon by filtration. Example 7 describes that the first suspension is prepared from an aqueous solution containing 4,313 g of water and 3,405 g of a 50% solution of sodium hydroxide.

The resultant water-swellaable polymer clusters are useful in personal care products such as diapers where aqueous absorption is desired.

In contrast, in this invention, the polymeric system is an interpolymeric carrier concentrate (ICPN) for an active component, e.g. a sunblock, or other cosmetic or pharmaceutical formulation, which extends its water insolubility and resistance to rinse-off of the polymer. Accordingly, the interpolymeric concentrate herein is a highly stable, water resistant, anhydrous network whereas the prior art is intended to provide water-swellaable particles, so as to absorb aqueous fluids in use as a diaper.

The present ICPN products are produced under anhydrous conditions by sequential monomer polymerization. The active component is subsequently added to the ICPN carrier. If desired, the carrier in the oil suspension can be conveniently converted into emulsion by addition of water. However, as stated, no water is present during formation of the concentrate.

The product of the invention involves polymerizing and crosslinking A monomer derived from vinyl pyrrolidone and acrylic acid monomers followed by polymerization of monomer B, e.g. C<sub>1</sub>-C<sub>30</sub> alkyl acrylate, in a second stage. Upon both polymerizations, the anhydrous ICPN concentrate product is obtained. Both A and B polymerizations are carried out under anhydrous conditions in a single reaction zone so that the B polymer will be formed and physically entrapped in the A polymer.

In view of the foregoing, reconsideration of the rejection of the rejection of amended claims 1, 6-12 and 26-29 is respectfully solicited. Claim 2 was cancelled in a previous amendment.

Claims 1, 2, 6-12 and 26-29 also were rejected under 35 U.S.C. 103(a) on Mooney et al. The Examiner has alleged that Mooney in col. 2, lines 22-25, col. 3, lines 16-35, col. 4, lines 11 to col. 6, line 20 teaches an interpolymeric composition comprising a non-volatile oil medium and about 0.5 to about 10% of

SERIAL NO. 10/705,691

an oil soluble flow control polymer physically entrapped in about 0.5 to about 10% of a network of a crosslinked polymer selected from polymers of a water-soluble monomers, such as acrylic acid, the percentage being based on the weight of the composition, said composition further comprising active components for skin care and/or therapeutic products.

Applicant respectfully traverses the Examiner's rejection of these claims on Mooney.

The Mooney reference is seen to be directed to a structured adhesive bandage which includes an occlusive composition. The disclosed occlusive composition in Mooney contained a mixture of an oil or wax solvent base, a network polymer to increase the viscosity of the solvent, and a flow control polymer to assist in controlling the flow characteristics of the wound dressing. The network polymer were commercially available block copolymers of polystyrene and synthetic rubber such as isoprene, or, alternatively crosslinked polyacrylic acid (e.g. Carbopol<sup>®</sup>), or modified guar gum. The flow control polymer was a polyolefin such as polyethylene, or a stearate or palmitate ester. The occlusive composition was made by blending the several polymer constituents and oil in a batch mixer and coating the mixture onto a substrate present in the adhesive bandage.

Clearly, the Mooney reference did not disclose, or contemplate, as in this invention, a stable, water resistant anhydrous interpolymeric carrier concentrate including a crosslinked network polymer to entrap a distinctly different polymerized monomer within its web. In contrast, the Mooney flow control polymers were merely admixed with the network polymer without being physically entrapped therein upon polymerization in an anhydrous medium, as in this invention.

In the preferred form of the invention, amended claim 1 defines the network polymer in the invention is a water insoluble, crosslinked polymer of vinyl pyrrolidone and acrylic acid, optionally including an alkyl acrylate, and the entrapped polymer is a C<sub>1</sub>-C<sub>30</sub> alkyl acrylate, or mixture of such acrylates. These species assure that the second polymer will become entrapped upon polymerization within the network polymer.

The result is a carrier concentrate which is a stable, water resistant, anhydrous, dense interpenetrated crosslinked polymer network (ICPN). In contrast, the disclosed Mooney polymers, alone or in combination do not provide an ICPN as defined in this invention. The pores of the ICPN herein possess a unique ability to accept a high load of an active material, e.g. a sunblock, in a final product formulation.

In summary, the physical incorporation of two or more structurally dissimilar polymers in an intricate web-like structure in an anhydrous condition produces modifications of properties which impart extended stability, increased density and ability to accept other active chemical moieties in the structure of the copolymeric product while shielding them from easy rinse-off removal. In this invention, the secondary polymer is physically entrapped in the network of the primary crosslinked polymer to produce a highly stable, hydrogen bonded structure.

In view of the foregoing the claims as amended are believed to define patentable invention over the cited art. Reconsideration and early allowance is respectfully solicited.

SERIAL NO. 10/705,691

In the event any issue still remains after this amendment, the Examiner is urged to call Applicant's Attorney, Mr. William Davis (973-628-3529) or Dr. Walter Katz (561-744-8476) to discuss the matter.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "William J. Davis". The signature is fluid and cursive, with the first and last names being more prominent.

William J. Davis  
Reg. No. 30,744  
for Dr. Walter Katz  
Reg. No. 19,706  
Attorney for Applicant